



John Davis, WB4QDX
EC – Gwinnett County, GA
DEC – Georgia ARES
Georgia D-STAR
wb4qdx@arrl.net

D-STAR CALLSIGN REGISTRATION

The Registration Process

- Why register?
- Registering your callsign allows access to more functions (callsign routing, linking)
- Register on your local or the closest system
- Register on **one and only one** system (local registration syncs with all systems throughout world)
- Registration is a three-step process (all three steps must be completed)



Starting Registration

- Step 1 – Browse to desired system and register as new user (<https://callsign.dstargateway.org/Dstar.do>)

https://wd4str.dstargateway.org/Dstar.do

D-STAR Gateway System

File Edit View Favorites Tools Help

Home RSS Print Page Safety Tools

D-STAR **D-STAR Gateway System (WD4STR)** **Sponsored by Gwinnett D-STAR** REVISION 1.0

Already registered?
Login with Callsign and Password.
Please note that Callsign and Password are case sensitive!
Callsign must be in Upper Case!

CallSign :

Password :

Login

New user?
Register here for D-STAR access.
Registering takes just a few seconds, and
you won't have to enter your personal information
again the next time you visit here.

Register

100%



Fill Out Your Info

- Fill out the info (callsign, name, email address and desired password)

D-STAR Gateway System (WD4STR)
Sponsored by Gwinnett D-STAR

REVISION 1.0

The agreement document

I certify that I hold a valid Amateur Radio license. I also agree to abide by all rules and regulations of Gwinnett D-STAR and Part 97 of the FCC Rules and Regulations. I understand that non-compliance may result in removal from the D-STAR gateway network without warning.

When filling in the form below, enter both your first and last name in the Name field. Upon submitting the form, please send an email info@dstarinfo.com to provide notification of your request and prompt approval. After approval, you will need to return and login to complete the registration process.

Do you agree?
YES: NO:

Enter your personal information!

CallSign : Equal to or less than 7 characters.

Name :

E-mail : Make sure you use a valid e-mail address.

Password : 8 to 16 characters.

Password confirm :

OK Cancel

- **Step 2** – System administrator must approve your initial registration. You may need to send email to sysadmin.



Add a Terminal

- Step 3 – Add at least one terminal with a space in first row under Initial, then type a pc-name (lower case, e.g. wb4qdx-dstar)

D-STAR Gateway System (WD4STR)

Revision 1.0

Login: WB4QDX [Logout](#)

[User Information](#) | [GW Information](#) | [Terminal Information](#) | **Personal Information**

Please, edit after making a left check box on.

Name : John Davis

E-mail : jdavis@gtworks.com

Password :

Password Confirm :

If the station has multiple radios, Target CS are distinguished by initial(last character) of a space or a capital english letter.
Definition character as follows..... (G)is a gateway. (S)is a local server.
Usually RPT(Repeater) isn't checked, initial AreaRPT CS is the port A of ZoneRPT CS.
If RPT is checked, AreaRPT CS is the same as Target CS.

	Initial	RPT	local IP	pcname	Del
<input checked="" type="checkbox"/>	1: WB4QDX		10.210.206.240	wb4qdx	<input type="checkbox"/>
<input checked="" type="checkbox"/>	2: WB4QDX N		10.210.206.241	wb4qdx-node	<input type="checkbox"/>
<input type="checkbox"/>	3: WB4QDX	<input type="checkbox"/>	10.210.206.242	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	4: WB4QDX	<input type="checkbox"/>	10.210.206.243	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	5: WB4QDX	<input type="checkbox"/>	10.210.206.244	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	6: WB4QDX	<input type="checkbox"/>	10.210.206.245	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	7: WB4QDX	<input type="checkbox"/>	10.210.206.246	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	8: WB4QDX	<input type="checkbox"/>	10.210.206.247	<input type="text"/>	<input type="checkbox"/>

Check item and change a set value.
Click the Update button.

[Update](#)



Terminal Entry Options

- For 99.9% of the time, adding a space for one terminal is all that is needed.
- Some may want to add a second terminal letter for a node adapter
- *The only time a second terminal is absolutely required is if you have two or more ID-1 radios under the same callsign*
 - Required to have separate IP addresses

